



Effective: March 1, 2016

VENT-FREE FIREPLACES, STOVES, INSERTS & GAS LOGS

| UNIT | PAGE # | |
|---------------|--|----|
| | VENT FREE FIREPLACES | |
| VRL4543 | Custom Series 43" Linear Fireplace | 2 |
| VRT4032 | Custom Series 32" Traditional Fireplace | 3 |
| VRT4036 | Custom Series 36" Traditional Fireplace | 4 |
| VCT4032 | Custom Series 32" Traditional Fireplace | 5 |
| VCT4036 | Custom Series 36" Traditional Fireplace | 6 |
| VCM3026 | Pro Series 26" Mini - Fireplace | 7 |
| | VENT FREE FIREBOXES | |
| VRT6036 | Signature Series 36" Traditional Brick Firebox | 8 |
| VRT6042 | Signature Series 42" Traditional Brick Firebox | 9 |
| VRT6050 | Signature Series 50" Traditional Brick Firebox | 10 |
| VRT4536 | Custom Series 36" Traditional Panel Firebox | 11 |
| VRT4542 | Custom Series 42" Traditional Panel Firebox | 12 |
| VRT4550 | Custom Series 50" Traditional Panel Firebox | 13 |
| VRC43ST / PF | Custom Series 36" Multi View Panel Firebox | 14 |
| VRT4032 | Custom Series 32" Traditional Panel Firebox | 15 |
| VRT4036 | Custom Series 36" Traditional Panel Firebox | 16 |
| VRT4042 | Custom Series 42" Traditional Panel Firebox | 17 |
| VRT3536 | Pro Series 36" Traditional Panel Firebox | 18 |
| VRT3542 | Pro Series 42" Traditional Panel Firebox | 19 |
| VRT/VCT3032 | Pro Series 32" Traditional Panel Firebox | 20 |
| VRT/VCT3036 | Pro Series 36" Traditional Panel Firebox | 21 |
| VRT/VCT3042 | Pro Series 42" Traditional Panel Firebox | 22 |
| VRT2536 | Merit Series 36" Traditional Panel Firebox | 23 |
| VRT/VCT 2036 | Merit Series 36" Traditional Panel Firebox | 24 |
| VRT/VCT 2042 | Merit Series 42" Traditional Panel Firebox | 25 |
| | GAS STOVES | |
| CIS CAST IRON | STOVE - VF | 26 |
| | GAS INSERTS | |
| VCI3032 | | 27 |
| | VENT FREE LOGS | |

MNF 24/30/36 Custom Series Concrete Log System GLOW RAMP **Custom Series Concrete & Ceramic Fiber Log Sets and Burners** TRIPLE FLAME Pro Series Concrete & Ceramic Fiber Log Sets and Burners Pro Series Ceramic Fiber Log System

31 MULTI-SIDED 32 VF 18/24 Pro Series Unitized Ceramic Fiber Log System 33 DUAL BURNER Merit Series Concrete & Ceramic Fiber Log Sets and Burners 34 SINGLE BURNER Merit Series Ceramic Fiber Log Sets 35

28

29





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Revised 6/14/16

| Model Weigh VRL4543ZMN 110# VRL4543ZMP 107# | t Cu. Ft. 15.9 15.9 | BTU/HR 20,000 - 25,000 17,000 - 25,000 | CUSTOM SERIES | VRL4543 | | | | | | |
|---|--|--|---------------|---------|--|--|--|--|--|--|
| | Agency Approvals - Z21.11.2, PFS Corp F11-054 | | | | | | | | | |
| 43" LINEAR | 43" LINEAR VENT-FREE FIREPLACE | | | | | | | | | |
| | The VRL4543 features a contemporary burner and shimmering clear glass pebbles against sleek black porcelain coated interior walls. Burner system features variable flame. Halogen lighting and thermostatic remote control included. Transform to see-thru | | | | | | | | | |

with the accessory conversion kits. Suggested Material # Model **Description** List 43" Natural, Electronic Ignition, with Lights, Glass \$ 2,069.00 F1186 VRL4543ZEN Pebbles 43" Propane, Electronic Ignition, with Lights, Glass F1187 \$ 2,069.00 VRL4543ZEP Pebbles

OPTIONAL ACCESSORIES

| | | | Conversion Kit | |
|-----|-------|---------|---|--------------|
| I | F1031 | LV43DS | Linear Vent Free Draft Shield (Recommended) | \$ 92.00 |
| | F1030 | LVSTI | 43" Linear VF See-Thru Conversion Kit | \$ 95.00 |
| | | | Pebbles | |
| | F1097 | GP43A | 6.0 lb. Bag Smooth Glass Pebbles, Amber | \$ 32.00 |
| | F1098 | GP43B | 6.0 lb. Bag Smooth Glass Pebbles, Blue | \$ 32.00 |
| 500 | F1099 | GP43G | 6.0 lb. Bag Smooth Glass Pebbles, Green | \$ 32.00 |
| * | F1100 | GP43SO | 6.0 lb. Bag Smooth Glass Pebbles, Speckled Orange | \$ 32.00 |
| | F1101 | GP43C | 6.0 lb. Bag Smooth Glass Pebbles, Clear | \$ 32.00 |
| | | | Face Trim Frames | |
| | F1036 | DFT43B | Decorative Face Trim Frame - Black | \$ 429.00 |
| | F1037 | DFT43AS | Decorative Face Trim Frame - Aged Silver | \$ 429.00 |
| | F1038 | DFT43AC | Decorative Face Trim Frame - Aged Copper | \$ 429.00 |
| | | | | |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

| Model VRT4032 VRT4032 | Weight | Cu. Ft. | BTU/HR |
|-----------------------------|--------|---------|-----------------|
| VRT4032 | 110# | 15.9 | 20,000 - 25,000 |
| VRT4032 | 107# | 15.9 | 17,000 - 25,000 |

CUSTOM SERIES

VRT4032

Agency Approvals - ANSI Z223.1/NFPA 54

32" 25,000 BTU RADIANT VENT-FREE FIREPLACE

VRT4032 Series Fireplace is complete with a radiant (clean face) firebox, burner and Boulder Mountain concrete logs (sold separately). The sleek design allows easy installation and includes a factory installed variable t-stat blower. These models are available in both millivolt (remote ready) and electronic ignition (includes full function remote control), standard black interior and textured powder coat finish.

| | Material # | <u>Model</u> | Description | <u>Su</u> | <u>iggested</u> List |
|------------|------------|--------------|--|-----------|-------------------------|
| | F1200 | VRT4032ZMN | 32" Natural, Millivolt, Blower | \$ | 1,210.00 |
| Calorine - | F1202 | VRT4032ZMP | 32" Propane, Millivolt, Blower | \$ | 1,210.00 |
| · 2000 | F1199 | VRT4032ZEN | 32" Natural, Electronic Ignition, Blower | \$ | 1,510.00 |
| 0 | F1201 | VRT4032ZEP | 32" Propane, Electronic Ignition, Blower | \$ | 1,510.00 |

REQUIRED OPTIONS F0053 LBG18BM

18" Boulder Mountain, Concrete

189.00

\$

| OPTIONAL ACCE | SSORIE | S | | |
|---------------|--------|-----------|--|--------------|
| | | | Liner Kit | |
| _ | H9076 | SBLQ32SVF | "Vintage Brick" Ceramic Liner Kit 32" | \$ 139.00 |
| | | | Perimeter Trim | |
| | F1039 | PT32 | 32" Perimeter Trim - Black | \$ 85.00 |
| | F1040 | PT32B | 32" Perimeter Trim Kit - Brushed Brass | \$ 103.00 |
| | F1041 | PT32P | 32" Perimeter Trim - Platinum | \$ 122.00 |
| I | | | Remote Controls | |
| | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ 88.00 |
| | F1078 | TRC | Receiver & Hand Held T-Stat Remote Kit | \$ 181.50 |
| | F1079 | TSRC | Receiver & Touch Screen Remote Control Kit | \$ 206.00 |
| | F0245 | GWMS2 | Wall Mount On/Off Switch Kit | \$ 34.00 |
| | | | Outside Air Kits | |
| _ | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |
| | | | Wood Cabinet Mantle | |
| _ | F1140 | W32TU | 32" Wall Cabinet Mantle, Traditional, Unfinished Oak | \$ 708.00 |
| | F1141 | W32TO | 32" Wall Cabinet Mantle, Traditional, Light Oak Stain | \$ 741.00 |
| | F1142 | C32TU | 32" Corner Cabinet Mantle, Traditional, Unfinished Oak | \$ 749.00 |
| and a | F1143 | C32TO | 32" Corner Cabinet Mantle, Traditional, Lt Oak Stain | \$ 799.00 |
| | F1149 | C32GO | 32" Corner Cabinet Mantle, Georgian, Lt Oak Stain | \$ 799.00 |
| 24/001a. | F1151 | MACMO | Medium Universal Cabinet Mantle, Dark Oak Stain | \$ 929.00 |
| | F1154 | MACMW | Medium Universal Cabinet Mantle, Dark Walnut Stain | \$ 929.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

| | Model VRT4036 VRT4036 | | Weight | Cu. Ft. | BTU/HR | |
|---|-----------------------------|---|--------|---------|-----------------|--|
| | VRT4036 | Ν | 156# | 15.9 | 20,000 - 33,000 | |
| l | VRT4036 | Ρ | 156# | 15.9 | 22,000 - 33,000 | |

CUSTOM SERIES

VRT4036

Agency Approvals - ANSI Z223.1/NFPA 54

36" 33,000 BTU RADIANT VENT-FREE FIREPLACE

VRT4036 Series Fireplace is complete with a radiant (clean face) firebox, burner and Boulder Mountain concrete logs (sold separately). The sleek design allows easy installation and includes a factory installed variable t-stat blower. These models are available in both millivolt (remote ready) and electronic ignition (includes full function remote control), standard black interior and textured powder coat finish.

| ×. | Material # | Model | Description | <u>Su</u> | <u>ggested</u> List |
|----|----------------|--------------------------|--|-----------|------------------------|
| | F1204 F1206 | VRT4036ZMN VRT4036ZMP | 36" Natural, Millivolt, Blower 36" Propane, Millivolt, Blower | \$ | 1,394.00 1,394.00 |
| | F1208 | VRT4036ZEN | 36 Natural, Electronic Ignition, Blower | э \$ | 1,594.00 1,594.00 |
| | F1205 | VRT4036ZEP | 36" Propane, Electronic Ignition, Blower | \$ | 1,594.00 |

 REQUIRED OPTIONS

 F0054
 LBG24BM
 24" Boulder Mountain, Concrete
 \$ 205.00

| OPTIONAL ACCE | SSORIE | S | | |
|---------------|--------|-----------|--|--------------|
| | | | Perimeter Trim | |
| | F1042 | PT36 | 36" Perimeter Trim Kit - Black | \$ 112.00 |
| | F1043 | PT36B | 36" Perimeter Trim Kit - Brushed Brass | \$ 130.00 |
| | F1044 | PT36P | 36" Perimeter Trim Kit - Platinum | \$ 150.00 |
| | | | Remote Controls | |
| | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ 88.00 |
| | F1078 | TRC | Receiver & Hand Held T-Stat Remote Kit | \$ 181.50 |
| | F1079 | TSRC | Receiver & Touch Screen Remote Control Kit | \$ 206.00 |
| | F0245 | GWMS2 | Wall Mount On/Off Switch Kit | \$ 34.00 |
| | | | Outside Air Kits | |
| _ | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |
| ~ | | | Wood Cabinet Mantle | |
| _ | F1151 | MACMO | Medium Universal Cabinet Mantle, Dark Oak Stain | \$ 929.00 |
| | F1154 | MACMW | Medium Universal Cabinet Mantle, Dark Walnut Stain | \$ 929.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

| Model Weight Cu. Ft. BTU/HR VCT4032 N 110# 15.9 20,000 - 25,000 VCT4032 P 110# 15.9 17,000 - 25,000 | | Custom Series | 20,000 - 25,000 | 15.9 | 110# | VCT4032 N |
|---|--|---------------|-----------------|------|------|-----------|
|---|--|---------------|-----------------|------|------|-----------|

Agency Approvals - ANSI Z223.1/NFPA 54

32" 25,000 BTU LOUVERED VENT-FREE FIREPLACE

VCT4032 Series Fireplace is complete with a rolled louvered firebox, burner and Boulder Mountain concrete logs (sold separately). The sleek design allows easy installation and includes a factory installed variable t-stat blower. These models are available in both millivolt (remote ready) and electronic ignition (includes full function remote control), standard black interior and textured powder coat finish.

| Material # | Model | Description | <u>Su</u> | ggested List |
|------------|------------|--|-----------|-----------------|
| F1208 | VCT4032ZMN | 32" Natural, Millivolt, Blower | \$ | 1,210.00 |
| F1210 | VCT4032ZMP | 32" Propane, Millivolt, Blower | \$ | 1,210.00 |
| F1207 | VCT4032ZEN | 32" Natural, Electronic Ignition, Blower | \$ | 1,510.00 |
| F1209 | VCT4032ZEP | 32" Propane, Electronic Ignition, Blower | \$ | 1,510.00 |

REQUIRED OPTIONS

F0053 LBG18BM

18" Boulder Mountain, Concrete

189.00

\$

| OPTIONAL ACCE | SSORIE | S | | |
|----------------------|--------|-----------|--|--------------|
| | | | Liner Kit | |
| | H9076 | SBLQ32SVF | "Vintage Brick" Ceramic Liner Kit 32" | \$ 139.00 |
| | | | Perimeter Trim | |
| | F1039 | PT32 | 32" Perimeter Trim - Black | \$ 85.00 |
| | F1040 | PT32B | 32" Perimeter Trim Kit - Brushed Brass | \$ 103.00 |
| | F1041 | PT32P | 32" Perimeter Trim - Platinum | \$ 122.00 |
| | | | Remote Controls | |
| | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ 88.00 |
| | F1078 | TRC | Receiver & Hand Held T-Stat Remote Kit | \$ 181.50 |
| | F1079 | TSRC | Receiver & Touch Screen Remote Control Kit | \$ 206.00 |
| | F0245 | GWMS2 | Wall Mount On/Off Switch Kit | \$ 34.00 |
| | | | Outside Air Kits | |
| | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| A BUILT | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| \checkmark | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |
| | | | Wood Cabinet Mantle | |
| | F1140 | W32TU | 32" Wall Cabinet Mantle, Traditional, Unfinished Oak | \$ 708.00 |
| | F1141 | W32TO | 32" Wall Cabinet Mantle, Traditional, Light Oak Stain | \$ 741.00 |
| | F1142 | C32TU | 32" Corner Cabinet Mantle, Traditional, Unfinished Oak | \$ 749.00 |
| | F1143 | C32TO | 32" Corner Cabinet Mantle, Traditional, Lt Oak Stain | \$ 799.00 |
| .4.6201.4. | F1149 | C32GO | 32" Corner Cabinet Mantle, Georgian, Lt Oak Stain | \$ 799.00 |
| | F1151 | MACMO | Medium Universal Cabinet Mantle, Dark Oak Stain | \$ 929.00 |
| | F1154 | MACMW | Medium Universal Cabinet Mantle, Dark Walnut Stain | \$ 929.00 |





Effective: March 1, 2016

| Model Weight VCT4036 N 156# VCT4036 P 153# | Agency Approv | BTU/HR 2,000 - 33,000 2,000 - 33,000 mals - ANSI Z223.1/NI | | VCT4036 | | |
|--|----------------|---|---|---|-----------|----------------------|
| 36" 33,000 E | STU LOU | /ERED VEN ⁻ | T-FREE FIREPLACE | | | |
| The sleek design al | llows easy ins | tallation and inclu | des a factory installed variable | oulder Mountain concrete logs (t-stat blower. These models are rol), standard black interior and | availa | ble in both |
| | Material # | Model | Description | | <u>Su</u> | ggested |
| | | | | | | List |
| | E 4040 | | | | • | |
| | F1212 | VCT4036ZMN | 36" Natural, Millivolt | | \$ | 1,394.00 |
| | F1214 F1211 | VCT4036ZMP VCT4036ZEN | 36" Propane, Millivol | | \$ \$ | 1,394.00 1,594.00 |
| | F1211 F1213 | VCT4036ZEN | 36" Natural, Electron 36" Propane Electron | | ə \$ | 1,594.00 |
| | 1 1215 | VC140302E1 | | ne iginiton, blower | Ψ | 1,554.00 |
| REQUIRED OP1 | TIONS | | | | | |
| | F0054 | LBG24BM | 24" Boulder Mountain | Concrete | \$ | 205.00 |
| OPTIONAL ACC | CESSORIES | | | | | |
| | | | Liner Kit | | | |
| | H9077 | SBLQ36SVF | "Vintage Brick" Ceram | ic Liner Kit 36" | \$ | 149.00 |
| | | | Perimeter Tr | im | | |
| \sim | F1042 | PT36 | 36" Perimeter Trim Kit | - Black | \$ | 112.00 |
| | F1043 | PT36B | 36" Perimeter Trim Kit | - Brushed Brass | \$ | 130.00 |
| | F1044 | PT36P | 36" Perimeter Trim Kit | | \$ | 150.00 |
| | | | Remote Cont | | | |
| | F2236 | RCKIT4001 | | eceiver with White Wall Plate | \$ | 88.00 |
| | F1078 | TRC | Receiver & Hand Held | T-Stat Remote Kit | \$ | 181.50 |
| | 110/5 | TSRC | | een Remote Control Kit | \$ | 206.00 |
| | F0245 | GWMS2 | Wall Mount On/Off Sw | | \$ | 34.00 |
| | | | Outside Air F | | | |
| | F1091 | AK4 | 4" Air Kit with Collar, H | | \$ | 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hoo | 5 | \$ | 27.50 |
| | F1093 | AK4F | | Hood & 3' Flex for Floor Venting | \$ | 39.00 |
| | F1094 | AK4B | • | Air Kit - Collar Only Kit | \$ | 449.00 |
| | E 4450 | | Wood Cabinet | | ¢ | 4 005 00 |
| | F1152 | | • | et Mantle, Dark Oak Stain | \$ | 1,035.00 |
| | F1155 | LACMW | Large Universal Cabir | et Mantle, Dark Walnut Stain | \$ | 1,035.00 |





Effective: March 1, 2016

| Model VCM3026 | Weight 41.0 | Cu. Ft. 23.7 | BTU/HR 26,000 | Pro Series | VCM3026 | | |
|---|-------------------|-----------------|-----------------------|------------------------------|--|------------|-----------------|
| | Age | ency Approv | als - ANSI Z223.1/NFF | PA 54 | | | |
| 26" VEN | IT-FREE | FIREF | PLACE | | | | |
| olack interio | r and textu | red powde | • | able in both millivolt (remo | gle burner and ceramic fiber logs. St ote ready) and thermostatically contr | | |
| | M | aterial # | <u>Model</u> | Description | | <u>Suc</u> | ggested List |
| | | F1215 | VCM3026ZTN | 26" Natural, T-Sta | | \$ | 929.00 |
| | | F1216 | VCM3026ZTP | 26" Propane, T-St | | \$ | 929.00 |
| | | F1217 | VCM3026ZMN | 26" Natural, Milliv | | \$ | 999.00 |
| | | F1218 | VCM3026ZMP | 26" Propane, Mill | ivolt | \$ | 999.00 |
| OPTIONA | L ACCES | SORIES | | | | | |
| | | | | Remote Controls an | d Wall Switches | | |
| | | F2236 | RCKIT4001 | On/Off Remote and | d Receiver with White Wall Plate | \$ | 88.00 |
| - | | F1078 | TRC | | leld T-Stat Remote Kit | \$ | 181.50 |
| | | F1079 | TSRC | Receiver & Touch | Screen Remote Control Kit | \$ | 206.00 |
| | | F0245 | GWMS2 | Wall Mount On/Off | | \$ | 34.00 |
| | | | | Blower | | | |
| NOR | | J1281 | GA3450TA | | wer with Manual Control | \$ | 165.00 |
| 4 | | | | Outside A | | | |
| | | F1091 | AK4 | 4" Air Kit with Colla | | \$ | 39.00 |
| | | F1092 | AK4X | 4" Air Kit, Collar & | | \$ | 27.50 |
| | | F1093 | AK4F | | lar, Hood & 3' Flex for Floor Venting | \$ | 39.00 |
| The second se | _ | F1094 | AK4B | | side Air Kit - Collar Only Kit | \$ | 449.00 |
| | | - | | Wood Cabine | | <u>^</u> | |
| | Wall | F1808 | W26TU | | raditional Style, Unfinished | \$ | 515.00 |
| 11 | | F1809 | C26TU | | , Traditional Style, Unfinished | \$ | 567.00 |
| | Completion of the | F1138 | W26TO | | Aantle, Traditional Style, Light Oak | \$ | 517.00 |
| 0 | | F1139 | C26TO | | t Mantle, Traditional Style, Light Oak | \$ | 585.00 |
| Corner 🧉 | and the second | F1822 | W26GO | | eorgian Style, Medium Oak | \$ | 626.00 |
| | | F1148 | C26GO | | t Mantle, Georgian Style, Light Oak | \$ | 729.00 |
| | | 54040 | 040000 | Perimeter T | | ¢ | 01.00 |
| | | F1816 | GAB6094 | 26" Perimeter Trim | | \$ | 91.00 |
| | | F1817 | GABP6094 | 26" Perimeter Trim | | \$ | 91.00 |
| | | | | | | | |
| | | F1818 | GAB9092 | Louver 26" Extruded Louv | | \$ | 87.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

 Model
 Weight
 Cu. Ft.

 VRT6036
 446.0#
 109.1

SIGNATURE SERIES

VRT6036

Agency Approvals - ANSI Z21.91 36" VENT FREE MASONRY FIREBOXES

VRT6036 models feature our Mosaic Masonry[™] system using real firebrick available in Warm Red or Ivory. This fireplace features a 30" tall opening with firebrick extending to the front edge. Standard Barometric dampers are factory installed on both sides, allowing for two AK 4 fresh air kits recommended for maximum performance.

| | Material # | Model | Description | <u>Su</u> | ggested |
|-------------|------------|-----------|--|-----------|-------------|
| | | | | | <u>List</u> |
| Prove and a | F0259 | VRT6036RS | 36" Masonry, Warm Red Full Stacked Brick | \$ | 2,859.00 |
| | F0260 | VRT6036IS | 36" Masonry, Ivory Full Stacked Brick | \$ | 2,859.00 |
| | F0261 | VRT6036RH | 36" Masonry, Warm Red Herringbone Brick | \$ | 3,399.00 |
| | F0262 | VRT6036IH | 36" Masonry, Ivory Herringbone Brick | \$ | 3,399.00 |

OPTIONAL ACCESSORIES

| | | | Outside Air Kits | |
|--------------|-------|------|--|--------------|
| | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| \checkmark | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

 Model
 Weight
 Cu. Ft.

 VRT6042
 586.0#
 109.1

SIGNATURE SERIES

VRT6042

Agency Approvals - ANSI Z21.91

42" MASONRY, UNIVERSAL VENT-FREE FIREBOXES

VRT6042 models feature our Mosaic Masonry[™] system using real firebrick available in Warm Red or Ivory. This fireplace features a 30" tall opening with firebrick extending to the front edge. Standard Barometric dampers are factory installed on both sides, allowing for two AK 4 fresh air kits recommended for maximum performance.

| | Material # | Model | Description | <u>Su</u> | ggested |
|-------|------------|-----------|--|-----------|-------------|
| e a a | | | | | <u>List</u> |
| | F0263 | VRT6042RS | 42" Masonry, Warm Red Full Stacked Brick | \$ | 3,099.00 |
| | F0264 | VRT6042IS | 42" Masonry, Ivory Full Stacked Brick | \$ | 3,099.00 |
| | F0265 | VRT6042RH | 42" Masonry, Warm Red Herringbone Brick | \$ | 3,649.00 |
| | F0266 | VRT6042IH | 42" Masonry, Ivory Herringbone Brick | \$ | 3,649.00 |
| | | | | | |

OPTIONAL ACCESSORIES Outside Air Kits F1091 AK4 4" Air Kit with Collar, Hood & 3' Flex \$ 39.00 F1092 AK4X 4" Air Kit, Collar & Hood Only \$ 27.50 F1093 AK4F Outside Air Kit Collar, Hood & 3' Flex for Floor Venting \$ 39.00 F1094 AK4B 50 piece Bulk Outside Air Kit - Collar Only Kit \$ 449.00





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

| Model | Weight | Cu. Ft. | | 1 |
|---------|--------|---------|------------------|---------|
| VRT6050 | 620# | 109.1 | SIGNATURE SERIES | VRT6050 |

Agency Approvals - ANSI Z21.91

50" MASONRY, UNIVERSAL VENT-FREE FIREBOXES

VRT6050 models feature our Mosaic Masonry[™] system using real firebrick available in Warm Red or Ivory. This fireplace features a 30" tall opening with firebrick extending to the front edge. Standard Barometric dampers are factory installed on both sides, allowing for two AK 4 fresh air kits recommended for maximum performance.

| | Material # | <u>Model</u> | Description | <u>Su</u> | ggested |
|-------|------------|--------------|--|-----------|-------------|
| e a a | | | | | <u>List</u> |
| | F0267 | VRT6050RS | 50" Masonry, Warm Red Full Stacked Brick | \$ | 3,489.00 |
| | F0268 | VRT6050IS | 50" Masonry, Ivory Full Stacked Brick | \$ | 3,489.00 |
| | F0269 | VRT6050RH | 50" Masonry, Warm Red Herringbone Brick | \$ | 4,029.00 |
| | F0270 | VRT6050IH | 50" Masonry, Ivory Herringbone Brick | \$ | 4,029.00 |

OPTIONAL ACCESSORIES

| OF HOMAL ACCE. | | | | |
|----------------|-------|------|--|--------------|
| | | | Outside Air Kits | |
| | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| ABO CONT | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| \bigcirc | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Discontinued 12/2016

| Model | Weight | Cu. Ft. | |
|---------|--------|---------|--|
| VRT4536 | 446# | 109.1 | |

CUSTOM SERIES

VRT4536

Agency Approvals - ANSI Z21.91

36" REFRACTORY PANELED, UNIVERSAL VENT-FREE FIREBOXES

VRT4536 models feature Red refractory panels. This fireplace features a 30" tall opening with firebrick extending to the front edge. Standard Barometric dampers are factory installed on both sides, allowing for two AK 4 fresh air kits recommended for maximum performance.

| | Material # | <u>Model</u> | Description | <u>Su</u> | ggested |
|-----|------------|--------------|--------------------------------------|-----------|-------------|
| A A | | | | | <u>List</u> |
| | F0271 | VRT4536RS | 36" Paneled, Red Stacked Brick | \$ | 1,999.00 |
| | F0272 | VRT4536RH | 36" Paneled, Red Herringbone Brick | \$ | 2,099.00 |
| | F0277 | VRT4536WS | 36" Paneled, White Stacked Brick | \$ | 1,999.00 |
| | F0278 | VRT4536WH | 36" Paneled, White Herringbone Brick | \$ | 2,099.00 |
| | | | | | |

OPTIONAL ACCESSORIES **Outside Air Kits** F1091 AK4 4" Air Kit with Collar, Hood & 3' Flex \$ 39.00 F1092 AK4X 4" Air Kit, Collar & Hood Only \$ 27.50 AK4F Outside Air Kit Collar, Hood & 3' Flex for Floor Venting \$ F1093 39.00 F1094 AK4B 50 piece Bulk Outside Air Kit - Collar Only Kit \$ 449.00





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Discontinued 12/2016

| Model VRT4542 | Weight Cu 524# 109 | . Ft. 0.1 | Custom Series | VRT45 | 42 | |
|------------------|--------------------------------------|--|--------------------------------|------------------------------|---------------------|------------------------------|
| | | Agency Approv | als - ANSI Z21.91 | | | |
| 2" REFR | ACTORY | PANELED, | UNIVERSAL VENT- | FREE FIREBOXES | | |
| | | | ory panels. This fireplace fea | | | • |
| • | | etric dampers are | factory installed on both sid | des, allowing for two AK 4 f | resh air kits recom | mended fo |
| ont edge. Sta | | · | Description | | | uggested List |
| • | ormance. | <u># Model</u> | Description | · · · | | uggested List |
| • | ormance. | <u># Model</u> | Description | | | uggested List |
| • | ormance. <u>Material</u> | # <u>Model</u> 3 VRT4542RS | Description 42" Paneled, | · · · | | uggested List 2,149.00 |
| • | ormance. <u>Material</u> F027: | <u># Model</u> 3 VRT4542RS 4 VRT4542RH | 42" Paneled, 42" Paneled, | Red Stacked Brick | | uggested |

OPTIONAL ACCESSORIES

| OI HONAE AOOE | | | | |
|---------------|-------|------|--|--------------|
| | | | Outside Air Kits | |
| | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| A BOLLOW | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| 9 | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Discontinued 12/2016

CUSTOM SERIES

VRT4550

Agency Approvals - ANSI Z21.91

50" REFRACTORY PANELED, UNIVERSAL VENT-FREE FIREBOXES

VRT4550 models feature Red or White refractory panels. This fireplace features a 30" tall opening with firebrick extending to the front edge. Standard Barometric dampers are factory installed on both sides, allowing for two AK 4 fresh air kits recommended for maximum performance.

| - | Material # | <u>Model</u> | Description | <u>Su</u> | ggested |
|-------------|------------|--------------|--------------------------------------|-----------|-------------|
| A A | | | | | <u>List</u> |
| | F0275 | VRT4550RS | 50" Paneled, Red Stacked Brick | \$ | 2,459.00 |
| TO STAR | F0276 | VRT4550RH | 50" Paneled, Red Herringbone Brick | \$ | 2,559.00 |
| | F0281 | VRT4550WS | 50" Paneled, White Stacked Brick | \$ | 2,459.00 |
| | F0282 | VRT4550WH | 50" Paneled, White Herringbone Brick | \$ | 2,559.00 |
| OPTIONAL AC | CESSORIES | \$ | | | |

| | | | Outside Air Kits | |
|-------------|-------|------|--|--------------|
| | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| 1 Alexandre | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| 4 | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Revised 4/8/2016 VRC43ST/PF Model Weight Cu. Ft. VRCT43 VRT43PF 146# 26.7 26.7 **CUSTOM SERIES** VCT43ST 128#

Agency Approvals - ANSI Z21.91

36" MULTI-VIEW, UNIVERSAL VENT-FREE FIREBOXES

The VRT/VCT 4300 Multi-View Series offers a radiant clean face design on both ST and PF models. The ST model is also available with circulating louvered front. Standard hood (canopy) is required for all applications These fireplaces come with white stacked refractory panels and include a factory installed j-box and can use an optional blower. Includes mesh screens and textured powder coat finish. Accepts any ANSI Z21.91 certified multi-view vent-free log sets.

| A | Material # | Model | Description | <u>Su</u> | iggested |
|---|-------------------------|-------------------------------------|--|----------------|---|
| | F0283 F0285 F0284 | VRT43STWS VRT43PFWS VCT43STWS | 36" See-Through, Flush Faced, White Stacked Liner 36" Peninsula, Flush Faced, White Stacked Liner 36" See-Through, Louvered, White Stacked Liner | \$ \$ \$ | <u>List</u> 1,139.00 1,249.00 1,139.00 |

OPTIONAL ACCESSORIES

| | | | Fan Kits | |
|------------|-------|---------|--|--------------|
| | F1086 | GA3750A | Manual Fan, Variable Speed, | \$ 192.00 |
| | | | Outside Air Kits | |
| _ | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| A CONTRACT | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Discontinued 12/2016

| Model Weight Cu. Ft. VRT4032 104# 14.0 | CUSTOM SERIES |
|---|---------------|
|---|---------------|

VRT4032

Agency Approvals - ANSI Z21.91

32" FULL-VIEW, UNIVERSAL VENT-FREE FIREBOXES

The VRT4032 Series offers a radiant clean face design with a 24" tall opening and comes standard with hidden screen pockets and factory installed j-box. Standard hood (canopy) is required for all applications. These fireboxes come with either white or red refractory panels in either stacked or herringbone design. All models accept 18" vent-free log sets and come standard with stacked refractory floor and textured powder coat finish.

| Material # | Model | Description | Sugg | |
|----------------|-----------|---|------|---------------------|
| F0286 | VRT4032WS | 32" Firebox with Tall Opening, White Stacked Brick | \$ | <u>st</u> 549.00 |
| F0287 | VRT4032WH | 32" Firebox with Tall Opening, White Herringbone Brick | \$ | 599.00 |
| F0292 | VRT4032RS | 32" Firebox with Tall Opening, Red Stacked Brick | \$ | 549.00 |
| F0293 | VRT4032RH | 32" Firebox with Tall Opening, Red Herringbone Brick | \$ | 599.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Discontinued 12/2016

| Custom Series VRT4036 | Custom Series | Cu. Ft. 24.0 | Weight 184# | Model VRT4036 |
|-----------------------|---------------|-----------------|----------------|------------------|
|-----------------------|---------------|-----------------|----------------|------------------|

Agency Approvals - ANSI Z21.91

36" FULL-VIEW, UNIVERSAL VENT-FREE FIREBOXES

The VRT4036 Series offers a radiant clean face design with a 26" tall opening and comes standard with hidden screen pockets and factory installed j-box. Standard hood (canopy) is required for all applications. These fireboxes come with either white or red refractory panels in either stacked or herringbone design. All models accept 18" or 24"vent-free log sets and come standard with stacked refractory floor and textured powder coat finish.

| | <u>Material #</u> | <u>Model</u> | Description | | <u>ested</u> ist |
|---|-------------------|------------------------|---|----------|---------------------|
| | F0288 F0289 | VRT4036WS VRT4036WH | 36" Firebox with Tall Opening, White Stacked Brick 36" Firebox with Tall Opening, White Herringbone Brick | \$ \$ | 599.00 649.00 |
| a start | F0294 F0295 | VRT4036RS VRT4036RH | 36" Firebox with Tall Opening, Red Stacked Brick 36" Firebox with Tall Opening, Red Herringbone Brick | \$ \$ | 599.00 649.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

Discontinued 12/2016

-

| Model VRT4042 | Weight 224# | Cu. Ft. 34.0 | | CUSTOM SERIES | VRT4042 |
|------------------|----------------|-----------------|---|---------------|---------|
| | | 4 | 4 | | |

Agency Approvals - ANSI Z21.91

42" FULL-VIEW, UNIVERSAL VENT-FREE FIREBOXES

The VRT4042 Series offers a radiant clean face design with a 29.5" tall opening and comes standard with hidden screen pockets and factory installed j-box. Standard hood (canopy) is required for all applications. These fireboxes come with either white or red refractory panels in either stacked or herringbone design. All models accept 24" or 30" vent-free log sets and come standard with stacked refractory floor and textured powder coat finish.

| | Material # | Model | Description | | ested |
|--|------------|-----------|---|----|------------|
| | | | | L | <u>ist</u> |
| and the second s | F0290 | VRT4042WS | 42" Firebox with Tall Opening, White Stacked Brick | \$ | 699.00 |
| | F0291 | VRT4042WH | 42" Firebox with Tall Opening, White Herringbone Brick | \$ | 749.00 |
| 1 2/ | F0296 | VRT4042RS | 42" Firebox with Tall Opening, Red Stacked Brick | \$ | 699.00 |
| | F0297 | VRT4042RH | 42" Firebox with Tall Opening, Red Herringbone Brick | \$ | 749.00 |





Effective: March 1, 2016

| Model V VRT3536 | Veight Cu.Ft. 180# 22.9 | · P | RO SERIES | VRT3536 | | |
|---|----------------------------|---------------------|---------------------------------|--|------|---------|
| | | OMNI Listing (116-F | , | | | |
| 6" UNIVE | RSAL, VENT | FREE FIREBO | X, FRONT OPEN, | CIRCULATING | | |
| replaces come | e with white stack | ed or herringbone | refractory panels and fl | hood (canopy) is required for most ap oor. All models offer an optional blow pts 18" and 24" vent-free log sets. | | |
| • / | Material # | Model | Description | | Su | ggested |
| a a m | Ch. | | | | | List |
| | F0298 | VRT3536WS | 36" Firebox w Stacked Liner | ith 28" Tall Opening Firebox, White | \$ | 672.00 |
| | F0299 | VRT3536WH | | ith 28" Tall Opening Firebox, White | \$ | 837.00 |
| own with Herringbo | | | | | | |
| PTIONAL A | ACCESSORIES | | | | | |
| | | | | creen Twin-Pane Door | | |
| | H1960 | ASD3628-TI | Arched Screen Canopy (sold s | Door, Textured Iron * Requires Firebox eparately) | x \$ | 787.00 |
| | | | Blower Kits (Re | quires Use of JBK) | | |
| | 80L84 | FBK-100 | Standard Singl | | \$ | 223.00 |
| | 80L85 | FBK-200 | 0 | with Wall Switch | \$ | 278.00 |
| - Col | H1958 | JBK | | it (Required with Blower) | \$ | 20.00 |
| | | | Outsid | le Air Kit | | |
| AND | H3991 | OAK-UVFRC | Outside Air Kit | With Duct | \$ | 43.50 |
| | | Fire | box Canopy * (Requi | red with Arch Screen Door) | | |
| | H1989 | FC36 | Firebox Canop | y, Powder Coat | \$ | 36.50 |
| | | | Common | Accessories | | |
| | F1882 | SCTPSAB | Touch up paint | powder coat exterior | \$ | 25.00 |
| | 85L87 | FWSK | Mall Cuitala Kit | , On/Off, White | \$ | 16.00 |





Effective: March 1, 2016

| Model We | eight Cu.Ft | 7 | | | | |
|-----------------------|-------------------|-------------------|-------------------------------|--|-----|---------|
| |)7 # 28.6 | | Pro Series | VRT3542 | | |
| | ANZI Z21.91 | OMNI Listing (116 | 6-F-38-5) | | | |
| 42" UNIVER | RSAL, VENT | -FREE FIRE | BOX, FRONT OPE | N, CIRCULATING | | |
| fireboxes come | with white stacke | ed or herringbon | e refractory panels and f | hood (canopy) is required for most appl loor. All models offer an optional blower epts 24" and 30" vent-free log sets. | | |
| | Material # | Model | Description | | Sug | ggested |
| | | | | | | List |
| | F0300 | VRT3542WS | 42" Firebox v Stacked Line | vith 28" Tall Opening Firebox, White | \$ | 736.00 |
| | F0301 | VRT3542WH | ••••••• | vith 28" Tall Opening Firebox, White | \$ | 925.00 |
| Shown with Herringbon | | | | | | |
| OPTIONAL A | | | | | | |
| | | | | creen Twin-Pane Door | | |
| | H1961 | ASD4228-TI | Arched Scree Canopy (sold | n Door, Textured Iron * Requires Firebox separately) | \$ | 850.00 |
| | | | Blower Kits (R | equires Use of JBK) | | |
| | 80L84 | FBK-100 | Standard | | \$ | 223.00 |
| | 80L85 | FBK-200 | Variable Spee | d with Wall Switch | \$ | 278.00 |
| | H1958 | JBK | Junction Box | Kit (Required with Blower) | \$ | 20.00 |
| | | | Outs | de Air Kit | | |
| Jan . | H3991 | OAK-UVFRC | Outside Air K | | \$ | 43.50 |
| | | 3 | rebox Canopy * (Regi | ired with Arch Screen Door) | | |
| | H1990 | FC42 | | py, Powder Coat | \$ | 38.00 |
| | | | | Accessories | | |
| | F1882 | SCTPSAB | | nt powder coat exterior | \$ | 25.00 |
| | 85L87 | FWSK | Wall Switch K | it, On/Off, White | \$ | 16.00 |





Effective: March 1, 2016

| | | | | [] | VRT3032 | | |
|---------------------------|---|--|-------------------------------------|--|--|-----------|-----------------|
| Model VRT3032 | Weight 104# | Cu. Ft. 15.9 | | Pro Series | VCT3032 | | |
| | | , | Agency Approval | ls - ANSI Z21.91 | | | |
| 32" UN | IIVERS | AL VEN | T-FREE FII | REBOXES | | | |
| standard v fireboxes (| vith hidden come with se an optio | screen po either black nal blower. | ckets and factor painted interio | ry installed j-box. Stan r or white stacked (WS | design with a 18" tall opening. These mode dard hood (canopy) is required for all applic) refractory panels and floor. Accepts 18" ve | ations. | These |
| | <u>I</u> | Material # | <u>Model</u> | <u>Descript</u> | ion | <u>Su</u> | ggested List |
| R | | F0302 | VRT3032B | 32" Radia | nt Firebox with Black Interior | \$ | 429.00 |
| | | F0302 | VCT3032B | | ered Firebox with Black Interior | \$ | 429.00 |
| A A | | F0308 | VRT3032WS | | nt Firebox with WS Refractory Panels | \$ | 539.00 |
| | | F0309 | VCT3032WS | | ered Firebox with WS Refractory Panels | \$ | 539.00 |
| OPTION | AL ACCE | SSORIES | 5 | | | | |
| | | | | Pe | rimeter Trim | | |
| | | F1039 | PT32 | 32" Perime | eter Trim Kit - Black | \$ | 85.00 |
| | | F1040 | PT32B | 32" Perime | eter Trim Kit - Brushed Brass | \$ | 103.00 |
| | _ | F1041 | PT32P | | eter Trim Kit - Platinum | \$ | 122.00 |
| | | | | Porcela | ain & Fiber Liners | | |
| | | F1071 | PLZ32 | 32" Vent-F | ree Firebox Black Porcelain Liners | \$ | 206.00 |
| | _ | F1074 | BLZ32SVF | 32" Vent-F | ree Firebox Vintage Fiber Liners | \$ | 123.00 |
| A.8. | 10 | | | Heat Ci | rculating Fan Kits | | |
| | Sale and the | F1081 | BK | Manual Fa | n, Variable Speed. Except Corner models | \$ | 193.50 |
| | | F1082 | BKT | Thermosta | atic Fan DV and VF units only | \$ | 221.00 |
| | \$1 B | F1083 | BK3 | | an WB & VF only | \$ | 128.00 |
| | | | | | tside Air Kits | | |
| | | F1091 | AK4 | 4" Air Kit v | vith Collar, Hood & 3' Flex | \$ | 39.00 |
| | | F1092 | AK4X | 4" Air Kit, (| Collar & Hood Only | \$ | 27.50 |
| ABOM | | F1093 | AK4F | | r Kit Collar, Hood & 3' Flex for Floor Venting | \$ | 39.00 |
| V. | • | F1094 | AK4B | | ulk Outside Air Kit - Collar Only Kit | \$ | 449.00 |
| \sim | | | | | Cabinet Mantles | | |
| N | · | F1140 | W32TU | 32" Wall C | abinet Mantle, Traditional, Unfinished Oak | \$ | 708.00 |
| | -44020ata | F1141 | W32TO | | abinet Mantle, Traditional, Light Oak Stain | \$ | 741.00 |
| | | F1142 | C32TU | 32" Corne | r Cabinet Mantle, Traditional, Unfinished Oak | \$ | 749.00 |
| | | F1143 | C32TO | 32" Corne | r Cabinet Mantle, Traditional, Light Oak Stain | \$ | 799.00 |
| | | F1149 | C32GO | | r Cabinet Mantle, Georgian, Light Oak Stain | \$ | 799.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

| Model | Weight | Cu. Ft. | Discontinued 12/2016 | | VRT3036 |
|---------------------|--------------|--------------|------------------------------------|----------------|---------|
| VRCT3036 VCT3036 | 184# 184# | 32.4 32.4 | Pro | S eries | VCT3036 |
| | | | Agency Approvals - ANSI Z21.93 | 1 | |

36" UNIVERSAL VENT-FREE FIREBOXES

The VRT/VCT3000 Series offers a radiant clean face or rolled louvered design with a 21" tall opening. These models come standard with hidden screen pockets and factory installed j-box. Standard hood (canopy) is required for all applications. These fireboxes come with either black painted interior or choice of refractory in either white stacked (WS), red stacked (RS) or red herringbone (RH) refractory panels and stacked floor. Accepts 18" and 24"vent-free log sets and can use an optional blower.

| | Material # | <u>Model</u> | Description | <u>gested</u> List |
|------|------------|--------------|--|-----------------------|
| 0 | F0304 | VRT3036B | 36" Radiant Firebox with Black Interior | \$ 459.00 |
| A de | F0305 | VCT3036B | 36" Louvered Firebox with Black Interior | \$ 459.00 |
| | F0310 | VRT3036WS | 36" Radiant Firebox with WS refractory panels | \$ 569.00 |
| | F0311 | VCT3036WS | 36" Louvered Firebox with WS refractory panels | \$ 569.00 |
| | F0312 | VRT3036RS | 36" Radiant Firebox with RS refractory panels | \$ 569.00 |
| | F0313 | VCT3036RS | 36" Louvered Firebox with RS refractory panels | \$ 569.00 |
| | F0314 | VRT3036RH | 36" Radiant Firebox with RH refractory panels | \$ 629.00 |
| | F0315 | VCT3036RH | 36" Louvered Firebox with RH refractory panels | \$ 629.00 |

OPTIONAL ACCESSORIES

| OF HONAL ACCI | -330KIL | 3 | | |
|---------------|---------|----------|--|--------------|
| 7 | | | Perimeter Trim | |
| | F1042 | PT36 | 36" Perimeter Trim Kit - Black | \$ 112.00 |
| | F1043 | PT36B | 36" Perimeter Trim Kit - Brushed Brass | \$ 130.00 |
| | F1044 | PT36P | 36" Perimeter Trim Kit - Platinum | \$ 150.00 |
| | | | Heat Deflection Hoods | |
| _ | F1048 | H36B | 36" VF Fireplace Hood - Brushed Brass | \$ 119.00 |
| | F1049 | H36P | 36" VF Fireplace Hood - Platinum | \$ 198.00 |
| | | | Porcelain & Fiber Liners | |
| _ | F1072 | PLZ36 | 36" Vent-Free Firebox Black Porcelain Liners | \$ 237.00 |
| | F1075 | BLZ36SVF | 36" Vent-Free Firebox Vintage Fiber Liners | \$ 134.00 |
| No. | | | Heat Circulating Fan Kits | |
| | F1081 | BK | Manual Fan, Variable Speed. Except Corner models | \$ 193.50 |
| | F1082 | BKT | Thermostatic Fan DV and VF units only | \$ 221.00 |
| | F1083 | BK3 | 3-Blade Fan WB & VF only | \$ 128.00 |
| | | | Outside Combustion Air Kits | |
| _ | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| NO CO | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

| | | | Discontinued 12/2016 | VRT3042 |
|--------------------|--------------|----------|--------------------------------|---------|
| Model | Weight | Cu. Ft. | PRO SERIES | VR13042 |
| VRT3042 VCT3042 | 224# 224# | 32 32 | PRU JERIES | VCT3042 |
| | | | Agency Approvals - ANSI 721 01 | |

42" UNIVERSAL VENT-FREE FIREBOXES

The VRT/VCT3000 Series offers a radiant clean face or rolled louvered design with a 24" tall opening. These models come standard with hidden screen pockets and factory installed j-box. Standard hood (canopy) is required for all applications. These fireboxes come with either black painted interior or choice of refractory in either white stacked (WS), red stacked (RS) or red herringbone (RH) refractory panels and stacked floor. Accepts 24" and 30" vent-free log sets and can use an optional blower.

| | Material # | <u>Model</u> | Description | gested List |
|-----|------------|--------------|--|--------------------|
| | F0306 | VRT3042B | 42" Radiant Firebox with Black Interior | \$ 549.00 |
| 1 | F0307 | VCT3042B | 42" Louvered Firebox with Black Interior | \$ 549.00 |
| R N | F0316 | VRT3042WS | 42" Radiant Firebox with WS refractory panels | \$ 679.00 |
| | F0317 | VCT3042WS | 42" Louvered Firebox with WS refractory panels | \$ 679.00 |
| | F0318 | VRT3042RS | 42" Radiant Firebox with RS refractory panels | \$ 679.00 |
| 3 | F0319 | VCT3042RS | 42" Louvered Firebox with RS refractory panels | \$ 679.00 |
| | F0320 | VRT3042RH | 42" Radiant Firebox with RH refractory panels | \$ 749.00 |
| | F0321 | VCT3042RH | 42" Louvered Firebox with RH refractory panels | \$ 749.00 |

OPTIONAL ACCESSORIES

| | | | Outside Air Kits | |
|----------|-------|----------|--|--------------|
| | F1091 | AK4 | Complete 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| | F1093 | AK4F | Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| | F1094 | AK4B | 50 piece Bulk Collar Only Kit | \$ 449.00 |
| • | | | Perimeter Trim | |
| | F1045 | PT42 | 42" Perimeter Trim Kit - Black | \$ 140.00 |
| | F1046 | PT42B | 42" Perimeter Trim Kit - Brushed Brass | \$ 159.00 |
| | F1047 | PT42P | 42" Perimeter Trim Kit - Platinum | \$ 179.00 |
| | | | Heat Deflection Hoods | |
| | F1050 | H42B | 42" VF Fireplace Hood - Brushed Brass | \$ 139.00 |
| | F1051 | H42P | 42" VF Fireplace Hood - Platinum | \$ 220.00 |
| | | | Porcelain & Fiber Liners | |
| | F1073 | PLZ42 | 42" Vent-Free Firebox Black Porcelain Liners | \$ 268.00 |
| | F1076 | BLZ42SVF | 42" Vent-Free Firebox Vintage Fiber Liners | \$ 154.00 |
| the star | | | Heat Circulating Fan Kits | |
| | F1081 | BK | Manual Fan, Variable Speed. Except Corner models | \$ 193.50 |
| | F1082 | BKT | Thermostatic Fan DV and VF units only | \$ 221.00 |
| | F1083 | BK3 | 3-Blade Fan WB & VF only | \$ 128.00 |
| | | | Outside Combustion Air Kits | |
| | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ 39.00 |
| ~ * | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ 27.50 |
| | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ 39.00 |
| | F1094 | AK4B | 50 piece Bulk Outside Air Kit - Collar Only Kit | \$ 449.00 |





Effective: March 1, 2016

| Model VRT2536 | Weight 150# | Cu.Ft 21.4 | | Merit Series | VRT2536 | | |
|--|----------------|---------------|------------------|----------------------------------|---|-----|--------|
| | Al | NZI Z21.91 | OMNI Listing (11 | 6-F-38-5) | | | |
| 6" UN | VERSA | L VEN | T-FREE FIF | REBOX, FRONT-OP | EN | | |
| hese fireb | oxes come | with white | stacked sides | and back refractory panels, | dard hood (canopy) is required for all black metal floor and can use an optic cepts 18" and 24" vent-free log sets. | | |
| | | aterial # | Model | Description | | Sug | gested |
| | | | | | | | List |
| | | F0322 | VRT2536WS | 36" Firebox wi Refractory Par | th 24" Tall Opening, White Stacked els | \$ | 549.00 |
| | tional log set | | | | | | |
| PTIONA | L ACCES | SORIES | | | | | |
| | | | | Decorative Mesh Sc | reen Twin-Pane Door | | |
| | 4 | H1959 | ASD3624-TI | Arched Screen | Door, Textured Iron | \$ | 761.00 |
| No. of Contraction of | 1 | | | Blower Kits (Red | uires Use of JBK) | | |
| 4 | | 80L84 | FBK-100 | Standard Single | | \$ | 223.00 |
| | > | 80L85 | FBK-200 | Variable Speed | with Wall Switch | \$ | 278.00 |
| | E. | H1958 | JBK | Junction Box Ki | t (Required with Blower) | \$ | 20.00 |
| | | | | Outsid | e Air Kit | | |
| | N | H3991 | OAK-UVFRC | Outside Air Kit | With Duct | \$ | 43.50 |
| | 1 | | | Common A | Accessories | | |
| | | F1882 | SCTPSAB | Touch up paint | powder coat exterior | \$ | 25.00 |
| | | 85L87 | FWSK | Wall Switch Kit, | On/Off White | \$ | 16.00 |





Effective: March 1, 2016

VENT-FREE FIREPLACES & FIREBOXES

| Model VRT2036 VCT2036 | Weight 150# 180# | Cu. Ft. 20.3 20.3 | | Merit Series | VRT2036 VCT2036 | | |
|-----------------------------|------------------------|-------------------------|--------------|----------------------------|---|-----------|-------------|
| | | | | ovals - ANSI Z21.91 | | | |
| 86" UN | IVERS/ | AL VEN | T-FREE | FIREBOXES | | | |
| hese fireb | oxes come | e with eithe | r black pain | ted interior or white stac | ng. Standard hood (canopy) is required for al ked sides and back refractory panels with bla and 24" vent-free log sets. | | |
| | N | Aaterial # | Model | Descri | otion | <u>Su</u> | ggested |
| | A Day | | | | | | <u>List</u> |
| RA | | F0323 | VRT2036B | 36" Rad | liant Firebox with Black Interior | \$ | 369.0 |
| | \leq | F0324 | VCT2036B | 36" Lou | vered Firebox with Black Interior | \$ | 369.0 |
| | | F0325 | VRT2036W | /S 36" Rad | liant Firebox with White Stacked Refractory | \$ | 445.0 |
| 0 | | F0326 | VCT2036W | /S 36" Lou | vered Firebox with White Stacked Refractory | \$ | 445.0 |
| OPTION | AL ACCE | SSORIES | ; | | | | |
| | | | | Ceramic Fibe | r & Refractory Brick Liners | | |
| | | F1054 | BLB36SF | 36" Whi | te Stacked Ceramic Fiber Brick Liner | \$ | 120.00 |
| | | F1055 | BLB36SR | 36" Whit | te Stacked Refractory Brick Liner | \$ | 158.00 |
| 1 | 20 | | | Heat (| Circulating Fan Kits | | |
| | | F1081 | BK | Manual | Fan, Variable Speed. Except Corner models | \$ | 193.50 |
| 56 S | | F1082 | BKT | Thermos | static Fan DV and VF units only | \$ | 221.00 |
| | ل <u>ومروب م</u> | F1083 | BK3 | 3-Blade | Fan WB & VF only | \$ | 128.00 |
| | | | | C | Outside Air Kits | | |
| | | F1091 | AK4 | 4" Air Ki | t with Collar, Hood & 3' Flex | \$ | 39.00 |
| | | F1092 | AK4X | 4" Air Ki | t, Collar & Hood Only | \$ | 27.50 |
| Nº CO | 1 Same | F1093 | AK4F | Outside | Air Kit Collar, Hood & 3' Flex for Floor Venting | \$ | 39.00 |
| | | | | | | | |

50 piece Bulk Outside Air Kit - Collar Only Kit

F1094

AK4B

\$

449.00





Effective: March 1, 2016

| Model | Weight | Cu. Ft. | 7 _ | VRT2042 | | |
|--------------------|--------------|----------------|------------------------|---|------------|------------------|
| VRT2042 VCT2042 | 180# 180# | 22 22 | | Merit Series VCT2042 | | |
| | | ŀ | Agency Approval | ls - ANSI Z21.91 | | |
| 42" UNI | VERSA | L VEN | T-FREE FI | REBOXES | | |
| The VRT204 | 2 Series of | ffers a clea | an face design v | with a tall 21.5" opening. Standard hood (canopy) is required for | all applic | ations. |
| These firebo | oxes come | with eithe | r black painted | interior or white stacked sides and back refractory panels with I | lack met | al floor. |
| All models o | offer an op | tional blow | ver and outside | air kit. Accepts 24" and 30" vent-free log sets. | | |
| | M | aterial # | <u>Model</u> | Description | <u>Su</u> | ggested |
| | A | | | | | <u>List</u> |
| RA. | 100 | | | | • | |
| | | F0327 | VRT2042B | 42" Radiant Firebox with Black Interior | \$ | 469.00 |
| F | | F0328 | VCT2042B | 42" Louvered Firebox with Black Interior | \$ | 469.00 |
| | | F0329 F0330 | VRT2042WS VCT2042WS | 42" Radiant Firebox with White Stacked Refractory | | 565.00 565.00 |
| | | FU330 | VC12042WS | 42" Louvered Firebox with White Stacked Refracto | уъ | 565.00 |
| OPTIONA | | SSORIES | | | | |
| | | | | Ceramic Fiber & Refractory Brick Liners | | |
| | | F1056 | BLB42SF | 42" White Stacked Ceramic Fiber Brick Liner | \$ | 136.00 |
| | | F1057 | BLB42SR | 42" White Stacked Refractory Brick Liner | \$ | 175.00 |
| | | | - | Heat Circulating Fan Kits | , | |
| | | F1081 | BK | Manual Fan, Variable Speed. Except Corner models | \$ | 193.50 |
| | | F1082 | BKT | Thermostatic Fan DV and VF units only | \$ | 221.00 |
| 787 787 | | F1083 | BK3 | 3-Blade Fan WB & VF only | \$ | 128.00 |
| | | | | Outside Air Kits | | |
| | | F1091 | AK4 | 4" Air Kit with Collar, Hood & 3' Flex | \$ | 39.00 |
| | | F1092 | AK4X | 4" Air Kit, Collar & Hood Only | \$ | 27.50 |
| | - C - K- | | | Outside Air Kit Colley, Lload & 21 Flow for Floor Vention | \$ | 39.00 |
| No Carlo | | F1093 | AK4F | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | φ | 39.00 |





U. S. SUGGESTED LIST PRICES Effective: March 1, 2016 GAS STOVES

Discontinued 11/2016

| Model | Weight |
|---------|--------|
| CIS VFN | 198# |
| CIS VFP | 198# |

CIS-CAST IRON STOVE VF

CAST IRON STOVE WITH VENT FREE BURNER SYSTEM

These sleek appliances combine the ease and convenience of gas space heat with the old world charm of a wood burning stove. Burner systems feature a push button matchless piezo igniter. Pair your burner system with the body color choices in flat black, antique white, natural iron, and aged silver. Vent free burner system required and sold separately.

| | Material # | Model | Description | <u>Su</u> | ggested |
|--------------------|------------|----------------------|---|-----------|-------------|
| | | | | | <u>List</u> |
| | | | | | |
| | F1777 | CISB | Cast Iron Stove Flat Black | \$ | 1,015.00 |
| | F1778 | CISAW | Cast Iron Stove Antique White | \$ | 1,249.00 |
| 1/ | F1779 | CISNI | Cast Iron Stove Natural Iron | \$ | 1,249.00 |
| 0 0 | F1780 | CISAS | Cast Iron Stove Aged Silver | \$ | 1,249.00 |
| REQUIRED AC | CESSORIES | 6 (Order Separately) | | | |
| | | | Burners | | |
| | F1781 | SVYD18NRA | Vent Free Burner System, Natural Gas | \$ | 799.00 |
| | F1782 | SVYD18NPA | Vent Free Burner System, Propane | \$ | 799.00 |
| OPTIONAL AC | CESSORIES | 6 | | | |
| | | | Common Accessories | | |
| | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ | 88.00 |
| | F1078 | TRC | Receiver and Thermo Remote Control Kit (for VF) | \$ | 181.50 |
| | F1079 | TSRC | Receiver and Touch Screen Remote Control Kit (for VF) | \$ | 206.00 |
| | F2040 | GWMT1 | Wall Mount Thermostatic Control Kit (for VF Burners) | \$ | 85.00 |
| | F0245 | GWMS2 | Wall Mount On/Off Switch Kit | \$ | 34.00 |
| | F0249 | CIKA | Gas Appliance Installation Kit | \$ | 59.50 |
| | | | | | |





Effective: March 1, 2016

GAS INSERTS

Model Weight VCI3032 75#

VCI3032

VENT-FREE GAS INSERT

The VCl3032 fireplace insert features a beautiful charcoal textured paint finish, heat circulating louvers and concealed remoteready controls. The fiber ceramic logs have realistic bark, detailed split and charred areas. The revolutionary one-piece multi-log design ensures proper placement.

| 2000 | Material # | Model | <u>Description</u> | <u>Su</u> | <u>ggested</u> List |
|---------------------|------------|--------------------|--------------------------------------|-----------|------------------------|
| - | F1790 | VCI3032ZMN | Vent-Free Insert, Natural, Millivolt | \$ | 1,359.00 |
| | F2055 | VCI3032ZMP | Vent-Free Insert, Propane, Millivolt | \$ | 1,359.00 |
| REQUIRED ACC | CESSORIES | (Order Separately) | | | |
| | | | Surrounds | | |
| | F1823 | GB38 | Small Black, 30" h x 38" | \$ | 149.00 |
| | F1824 | GB43 | Large Black, 36-3/4" h x 43" w | \$ | 175.00 |





Effective: March 1, 2016

VENT-FREE LOG SETS

Revised 4/2016

| | Revised 4/2016 | BTU/HR | Cu. Ft. | Weight | Model |
|--------------|----------------|-------------|---------|--------|-------------------------|
| MNF 24/30/36 | Custom Series | 28 - 40,000 | 5.7 | 101# | MNF24 MNF30 MNF36 |

Agency Approvals - ANSI Z21.11.2

24" 30" & 36" VENT-FREE CONCRETE GAS LOG SYSTEMS

Select the 24", 30" or 36" logs (using the Material # with the A & B suffiix) with a like size burner to complete your log set. Millivolt models are remote ready. Variable Remote models include a Pro-Flame remote control. Electronic models include a variable remote control. 24" sets are designed for large 36" fireboxes. 30" sets are designed for larger 42" fireplaces. 36" sets are designed for a 48" and larger firebox.

| | Material # | | Description | <u>Sug</u> List | gested |
|---------------------|----------------|----------------------|---|--------------------|--------------------|
| REQUIRED PROD | UCT - Order | Both Items | A & B of desired size & style Logs PLUS Burner for Complet | e Sy | stem |
| | | | GIANT TIMBER | | |
| | F2099A | LMF24GTA | Giant Timbers 24" VF Logs, Concrete 1/2 | \$ | 143.00 |
| 1 | F2099B | LMF24GTB | Giant Timbers 24" VF Logs, Concrete 2/2 | \$ | 143.00 |
| | F2100A | LMF30GTA | Giant Timbers 30" VF Logs, Concrete 1/2 | \$ | 152.00 |
| A | F2100B | LMF30GTB | Giant Timbers 30" VF Logs, Concrete 2/2 | \$ | 152.00 |
| C | F2101A | LMF36GTA | Giant Timbers 36" VF Logs, Concrete 1/2 | \$ | 185.00 |
| | F2101B | LMF36GTB | Giant Timbers 36" VF Logs, Concrete 2/2 | \$ | 185.00 |
| | | | MOSSY OAK | | |
| | F2084A | LMF24MOA | Mossy Oak, 24" VF Log, Concrete, 1/2 | \$ | 143.00 |
| | F2084B | LMF24MOB | Mossy Oak, 24" VF Log, Concrete, 2/2 | \$ | 143.00 |
| | F2085A | LMF30MOA | Mossy Oak, 30" VF Log, Concrete, 1/2 | \$ | 152.00 |
| | F2085B | LMF30MOB | Mossy Oak, 30" VF Log, Concrete, 2/2 | \$ | 152.00 |
| | F2086A | LMF36MOA | Mossy Oak, 36" VF Log, Concrete, 1/2 | \$ | 185.00 |
| | F2086B | LMF36MOB | Mossy Oak, 36" VF Log, Concrete, 2/2 | \$ | 185.00 |
| | | | 24" Burners Use with 24" & 30" Logs) | | |
| | F2087 | MNF24INE | MNF24 VF Ember Bed Burner, NG, Elec., with Remote | \$ | 949.00 |
| | F2088 | MNF24INM | MNF24 VF Ember Bed Burner, NG, Millivolt | \$ ¢ | 769.00 |
| | F2089 F2090 | MNF24INV MNF24IPE | MNF24 VF Ember Bed Burner, NG, Variable, with Remote MNF24 VF Ember Bed Burner, LP, Elec., with Remote | \$ \$ | 899.00 949.00 |
| | F2090 | MNF24IPM | MNF24 VF Ember Bed Burner, LP, Millivolt | φ \$ | 769.00 |
| | F2092 | MNF24IPV | MNF24 VF Ember Bed Burner, LP, Variable, with Remote | \$ | 899.00 |
| | | | 30" Burners (Use with 36" Logs) | | |
| | F2093 | MNF30INE | MNF30 VF Ember Bed Burner, NG, Elec., with Remote | \$ | 1,059.00 |
| | F2094 | MNF30INM | MNF30 VF Ember Bed Burner, NG, Millivolt | \$ | 879.00 |
| | F2095 | MNF30INV | MNF30 VF Ember Bed Burner, NG, Variable, with Remote | | 999.00 |
| | F2096 F2097 | MNF30IPE MNF30IPM | MNF30 VF Ember Bed Burner, LP, Elec., with Remote MNF30 VF Ember Bed Burner, LP, Millivolt | \$ \$ | 1,059.00 879.00 |
| | F2098 | MNF30IPV | MNF30 VF Ember Bed Burner, LP, Variable, with Remote | \$ | 999.00 |
| OPTIONAL ACC | | | | ţ | |
| | | | Decorative Accessories | | |
| | F0252 | LAMF | Log Accessory Kit, Concrete | \$ | 143.00 |
| | 80L42 | FDVS | Decorative Volcanic Stone | \$ | 14.50 |
| | F1762 | FM100 | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$ | 48.50 |
| | 51300 | 0.1.0000 | Installation Accessories | ^ | 40.50 |
| | F1760 | GA6080 | Damper Clamp (Required in vented applications.) | \$ \$ | 10.50 |
| \sim | F0249 | CIKA | Gas Appliance Installation Kit Fireplace Hoods | φ | 59.50 |
| | F1764 | GA6050 | Black Fireplace Hood | \$ | 96.00 |
| \searrow | | | Wall Switches | Ť | |
| | F2040 | GWMT1 | Wall Mount T-Stat Control Kit | \$ | 85.00 |
| | F0245 | GWMS2 | On/Off Wall Switch Kit | \$ | 34.00 |





Effective: March 1, 2016

VENT-FREE LOG SETS

| Model LBG18BM/SM LBG24BM/SM | | Cu. Ft. 2.5/3.2 | BTU/HR 19 - 30,000 range 23 - 39,000 range | Custom Series | |
|-----------------------------------|------------------|--------------------|---|---------------|------|
| LBG30BM/SM LBG36BM/SM | 54# / 20# 22# | 2.6 / 3.7 3.7 | 23 - 39,000 range 23 - 39,000 range 23 - 39,000 range | Glow F | Ramp |

Glow Ramp Burner Series

Agency Approvals - ANSI Z223.1 / NFPA 54 18"/24"/30"/36" VENT-FREE GAS LOGS & BURNERS

The Glow Ramp Burner Series provides three distinct areas of flame: dancing yellow flames in the rear, glowing logs in the center and vibrant glowing embers in the front. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance. Pair 18" logs with a 18" burner. Pair 24", 30" and 36" logs with a 24" burner. Variable Remote and Electronic Ignition models include a remote control with built-in thermostat mode and adjustable variable flame control.

| | <u>Material #</u> | Naterial # Model Description | | <u>Suggested</u> List | |
|--------|-------------------|------------------------------|--|--------------------------|------------------|
| | F0053 F0054 | LBG18BM LBG24BM | 18" Boulder Mountain, Concrete 24" Boulder Mountain, Concrete | \$ \$ | 189.00 205.00 |
| JULY (| F0055 | LBG30BM | 30" Boulder Mountain, Concrete | \$ | 232.00 |
| AN | F0056 F0057 | LBG18SM LBG24SM | 18" Smokey Mountain, Ceramic Fiber | \$ | 170.00 184.00 |
| 2 Star | F0058 | LBG30SM | 24" Smokey Mountain, Ceramic Fiber 30" Smokey Mountain, Ceramic Fiber | \$ | 215.00 |
| | F1714 | LBG36SM | 36" Smokey Mountain, Ceramic Fiber | \$ | 246.00 |

REQUIRED ACCESSORIES (Order Separately)

| LEGOILED HOOEG | CONTEC | (or dor ooparatory) | | |
|-----------------------|--------|---------------------|---|--------------|
| | | | Burner Assemblies | |
| | F0037 | BGE18NT | 18" N, T Stat, Ramp Burner, Embers | \$ 610.00 |
| | F0038 | BGE18NV | 18" N, Variable, Ramp Burner, Embers, with Remote | \$ 825.00 |
| | F0039 | BGE18NE | 18" N, Electronic, Ramp Burner, Embers, with Remote | \$ 866.00 |
| | F0040 | BGE18NR | 18" N, Millivolt, Ramp Burner, Embers | \$ 652.00 |
| | F0041 | BGE18PT | 18" P, T Stat, Ramp Burner, Embers | \$ 610.00 |
| | F0042 | BGE18PV | 18" P, Variable, Ramp Burner, Embers, with Remote | \$ 825.00 |
| | F0043 | BGE18PE | 18" P, Electronic, Ramp Burner, Embers, with Remote | \$ 866.00 |
| | F0044 | BGE18PR | 18" P, Millivolt, Ramp Burner, Embers | \$ 652.00 |
| | F0045 | BGE2436NT | 24" N, T Stat, Ramp Burner, Embers | \$ 665.00 |
| | F0046 | BGE2436NV | 24" N, Variable, Ramp Burner, Embers, with Remote | \$ 879.00 |
| | F0047 | BGE2436NE | 24" N, Electronic, Ramp Burner, Embers | \$ 929.00 |
| | F0048 | BGE2436NR | 24" N, Millivolt, Ramp Burner, Embers, with Remote | \$ 706.00 |
| | F0049 | BGE2436PT | 24" P, T Stat, Ramp Burner, Embers | \$ 665.00 |
| | F0050 | BGE2436PV | 24" P, Variable, Ramp Burner, Embers, with Remote | \$ 879.00 |
| | F0052 | BGE2436PE | 24" P, Electronic, Ramp Burner, Embers, with Remote | \$ 929.00 |
| | F0051 | BGE2436PR | 24" P, Millivolt, Ramp Burner, Embers | \$ 706.00 |
| DPTIONAL ACCES | SORIES | | | |
| | | | Decorative Accessories | |
| | F0250 | VTA-LS5-1 | Log Scraps - Floor Media Kit | \$ 41.50 |
| 100 A 180. | F0251 | VTA-LS5-2 | Log Scraps - Floor Media Kit | \$ 41.50 |
| 20 6.8 | 80L42 | FDVS | Decorative Volcanic Stone | \$ 14.50 |
| 00 7 | F1759 | CDABKA-6 | Decorative Ash Bed / Control Cover Kit (Six Pack) | \$ 247.00 |
| | F0246 | CDABKA | Decorative Ash Bed / Control Cover Kit | \$ 41.50 |
| | F1762 | FM100 | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$ 48.50 |
| | | | | |





Effective: March 1, 2016

VENT-FREE LOG SETS

Glow Ramp Burner Series

| | <u>Material #</u> | <u>Model</u> | <u>Description</u> | <u>Sug</u> List | <u>gested</u> |
|--------|-------------------|--------------|--|--------------------|---------------|
| | | | Installation Accessories | | |
| | F1760 | GA6080 | Damper Clamp (Required in vented applications.) | \$ | 10.50 |
| | F0249 | CIKA | Gas Appliance Installation Kit | \$ | 59.50 |
| | | | Fireplace Hoods | | |
| | F1764 | GA6050 | Black Fireplace Hood | \$ | 96.00 |
| \sim | | | Remote Control & Wall Switch | | |
| | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ | 88.00 |
| | F1078 | TRC | Thermostatic On/Off Remote Control Kit | \$ | 181.50 |
| | F1079 | TSRC | Receiver and Touch Screen Remote Control Kit | \$ | 206.00 |
| | F2040 | GWMT1 | Wall Mount T-Stat Control Kit | \$ | 85.00 |
| | F0245 | GWMS2 | On/Off Wall Switch Kit | \$ | 34.00 |





Effective: March 1, 2016

VENT-FREE LOG SETS

| Model LTF18MM/RS | Weight | Cu. Ft. | BTU/HR 21 - 30,000 range | r | |
|---------------------|-------------|-----------|--|------------|---------------------|
| LTF24MM/RS | 19.7# / 72# | 3.2 / 2.6 | 28 - 39,000 range 28 - 39,000 range | Pro Series | Triple Flame Series |

Agency Approvals - ANSI Z223.1 / NFPA 54

18"/24"/30" VENT-FREE GAS LOGS & TRIPLE FLAME BURNERS

The Triple Flame Series provides multiple rows of flame that give a unique flame presentation. All models include a wood-burning grate appearance and glowing ember bed. Pair 18" logs with a 18" burner. Pair 24" and 30" logs with a 24" burner. Variable Remote and Electronic Ignition models include a remote control with built-in thermostat mode and adjustable variable flame control.

| | Material # | Model | Description | Sug | gested |
|------------------|-------------|-------------|--|------|--------|
| Alexa | 1070 | | | List | |
| A ALLAN | M | | | | |
| | F0031 | LTF18MM | 18" Massive Mixed Oak, Ceramic Fiber | \$ | 239.00 |
| 4 | F0032 | LTF24MM | 24" Massive Mixed Oak, Ceramic Fiber | \$ | 253.00 |
| 1 and the second | F0033 | LTF30MM | 30" Massive Mixed Oak, Ceramic Fiber | \$ | 286.00 |
| and the | F0034 | LTF18RS | 18" Rugged Stack, Concrete | \$ | 210.00 |
| T. Courte | F0035 | LTF24RS | 24" Rugged Stack, Concrete | \$ | 242.00 |
| | F0036 | LTF30RS | 30" Rugged Stack, Concrete | \$ | 262.00 |
| | | | NEW FOR THIS YEAR! - Available in FALL 2015 | | |
| | F2078 | LTF18WT | 18" Wild Timber, Concrete | \$ | 220.00 |
| | F2079 | LTF24WT | 24" Wild Timber, Concrete | \$ | 248.00 |
| | F2080 | LTF30WT | 30" Wild Timber, Concrete | \$ | 269.00 |
| REQUIRED | ACCESSORIES | (Order Sepa | rately) | | |
| | | | Burner Assemblies | | |
| | F0019 | TF18NR | 18" N, Millivolt, Triple Flame Burner, Ember Bed | \$ | 622.00 |
| | F0020 | TF18PR | 18" P, Millivolt, Triple Flame Burner, Ember Bed | \$ | 622.00 |
| | F0021 | TF18NV | 18" N, Variable Triple Flame Burner, Ember Bed | \$ | 766.00 |
| | F0022 | TF18PV | 18" P, Variable Triple Flame Burner, Ember Bed | \$ | 766.00 |
| | F0023 | TF18NE | 18" N, Electronic Ignition Triple Flame Burner, Ember Bed | \$ | 836.00 |
| | F0024 | TF18PE | 18" P, Electronic Ignition Triple Flame Burner, Ember Bed | \$ | 836.00 |
| | F0025 | TF2430NR | 24" N, Millivolt, Triple Flame Burner, Ember Bed | \$ | 689.00 |
| | F0026 | TF2430PR | 24" P, Millivolt, Triple Flame Burner, Ember Bed | \$ | 689.00 |
| | F0027 | TF2430NV | 24" N, Variable Triple Flame Burner, Ember Bed | \$ | 828.00 |
| | F0028 | TF2430PV | 24" P, Variable Triple Flame Burner, Ember Bed | \$ | 828.00 |
| | F0029 | TF2430NE | 24" N, Electronic Ignition Triple Flame Burner, Ember Bed | \$ | 899.00 |
| | F0030 | TF2430PE | 24" P, Electronic Ignition Triple Flame Burner, Ember Bed | \$ | 899.00 |
| OPTIONAL | ACCESSORIES | | | | |
| | | | Decorative Accessories | | |
| | F0246 | CDABKA | Decorative Ash Bed / Control Cover Kit | \$ | 41.50 |
| | F0247 | GA9650A | Decorative Pine Cones - set of 3 | \$ | 20.00 |
| | 80L42 | FDVS | Decorative Volcanic Stone | \$ | 14.50 |
| | F0250 | VTA-LS5-1 | Log Scraps - Floor Media Kit | \$ | 41.50 |
| | F0251 | VTA-LS5-2 | Log Scraps - Floor Media Kit | \$ | 41.50 |
| | | | Installation Accessories | | |
| | F0249 | CIKA | Gas Appliance Installation Kit | \$ | 59.50 |
| | | | Remote Control & Wall Switch | | |
| | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ | 88.00 |
| | F0245 | GWMS2 | On/Off Wall Switch Kit | \$ | 34.00 |
| | | | | | |





Effective: March 1, 2016

VENT-FREE LOG SETS

Model Weight FVFM27 40# Cu. Ft. BTU/HR 6.1 20,000 - 39,000

Pro Series

Multi-Sided

Agency Approvals - ANSI Z223.1 / NFPA 54

PRO SERIES MULTI-SIDED VENT-FREE LOG SYSTEM

The Multi-Sided Series offers an economical option without compromising on quality. All models are dual-listed for use in vent-free and vented multi-view applications and will deliver high heat output at 99% heat efficiency.

| a horas hells a | Material # | <u>Model</u> | Description | <u>Sugg</u> <u>List</u> | ested |
|-----------------|------------|--------------|--|----------------------------|--------|
| | F0073 | FVFM27NR | 27" N, Millivolt Multi-Sided, VF System, Ceramic Fiber | \$ | 999.00 |
| | F0074 | FVFM27PR | 27" P, Millivolt Multi-Sided, VF System, Ceramic Fiber | \$ | 999.00 |

| OPTIONAL ACCE | SSORIES | \$ | | |
|----------------------|---------|-----------|---|--------------|
| | | | Decorative Accessories | |
| _ | 80L42 | FDVS | Decorative Volcanic Stone | \$ 14.50 |
| | F1759 | CDABKA-6 | Decorative Ash Bed / Control Cover Kit (Six Pack) | \$ 247.00 |
| | F0246 | CDABKA | Decorative Ash Bed / Control Cover Kit | \$ 41.50 |
| | F1762 | FM100 | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$ 48.50 |
| | | | Installation Accessories | |
| | F1760 | GA6080 | Damper Clamp (Required in vented applications.) | \$ 10.50 |
| | F0249 | CIKA | Gas Appliance Installation Kit | \$ 59.50 |
| | | | Fireplace Hoods | |
| | F1764 | GA6050 | Black Fireplace Hood | \$ 96.00 |
| \sim | | | Remote Controls & Wall Switches | |
| _ | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ 88.00 |
| | F1078 | TRC | Thermostatic On/Off Remote Control Kit | \$ 181.50 |
| | F1079 | TSRC | Receiver and Touch Screen Remote Control Kit | \$ 206.00 |
| | F2040 | GWMT1 | Wall Mount T-Stat Control Kit | \$ 85.00 |
| | F0245 | GWMS2 | On/Off Wall Switch Kit | \$ 34.00 |





Effective: March 1, 2016

VENT-FREE LOG SETS

| Model VF18 VF24 | Weight | Cu. Ft. | BTU/HR |
|-----------------------|--------|---------|-----------------|
| VF18 | 35.85# | 6.3 | 24,000 - 36,000 |
| VF24 | 40.1# | 6.3 | 25,000 - 39,000 |

Pro Series

VF 18/24

Agency Approvals - ANSI Z21.11.2 - ANSI Z21.60 UNITIZED VENT-FREE GAS LOG SYSTEM

This vent-free gas log system features a high efficiency stainless burner and ceramic ramp ember bed design. Millivolt pilot control and gas train are fully assembled, flush mounted for easy access and include matchless piezo ignition. Unitized ceramic fiber log design includes 5 piece log accessory / control cover kit, lava cinders, gas shut-off valve and stainless flex gas connector. All systems include an on/off remote control standard.

| | <u>Material #</u> | Model | Description | <u>Sugg</u> List | ested |
|---------------------------------------|-------------------|----------|---|---------------------|--------|
| Test | F1715 | VF18NBTB | 18" Unitized, Millivolt, Nat, Ceramic Fiber | \$ | 899.00 |
| A BARE | F1716 | VF18PBTB | 18" Unitized, Millivolt, LP, Ceramic Fiber | \$ | 899.00 |
| | F1717 | VF24NBTB | 24" Unitized, Millivolt, Nat, Ceramic Fiber | \$ | 949.00 |
| Contraction of the Contraction of the | F1718 | VF24PBTB | 24" Unitized, Millivolt, LP, Ceramic Fiber | \$ | 949.00 |

| OPTIONAL ACCE | SSORIES | 6 | | |
|---------------|---------|-----------|---|--------------|
| | | | Decorative Accessories | |
| - | 80L42 | FDVS | Decorative Volcanic Stone | \$ 14.50 |
| | F1759 | CDABKA-6 | Decorative Ash Bed / Control Cover Kit (Six Pack) | \$ 247.00 |
| | F0246 | CDABKA | Decorative Ash Bed / Control Cover Kit | \$ 41.50 |
| | F1762 | FM100 | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$ 48.50 |
| | | | Installation Accessories | |
| - | F1760 | GA6080 | Damper Clamp (Required in vented applications.) | \$ 10.50 |
| | F0249 | CIKA | Gas Appliance Installation Kit | \$ 59.50 |
| \sim | | | Fireplace Hoods | |
| | F1764 | GA6050 | Black Fireplace Hood | \$ 96.00 |
| | | | Remote Controls & Wall Switches | |
| _ | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ 88.00 |
| | F1078 | TRC | Thermostatic On/Off Remote Control Kit | \$ 181.50 |
| | F1079 | TSRC | Receiver and Touch Screen Remote Control Kit | \$ 206.00 |
| | F2040 | GWMT1 | Wall Mount T-Stat Control Kit | \$ 85.00 |
| | F0245 | GWMS2 | On/Off Wall Switch Kit | \$ 34.00 |





Effective: March 1, 2016

VENT-FREE LOG SETS

| Nodel W0 VD18GO/PP/CH 14#/ VD24GO/PP/CH 16#/ | 14#/38# 2.1/2 | u. Ft. BTU/HR 2.1/2.2 19 - 36,000 range 2.1/2.2 19 - 36,000 range | Dual Burner | Sei | ries | |
|--|---------------|---|--|----------|---|--|
| | Agency Approv | als - ANSI Z223.1 / NFPA 54 | <u></u> | | | |
| 8"/24" VENT | -FREE G | AS LOGS & BUR | NERS | | | |
| | | | den Oak, Townsend Bark, Crescent Hill or Century Oak) | with any | of the | |
| | | | ith hand painted logs for a more realistic look. Millivolt (| - | | |
| | | ual-listed for vent-free an | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| Material # Model | | Model | Description | | Suggested | |
| | | | | List | | |
| - 0 | | | | | | |
| PAL | F0063 | LVD18GO | 18" Golden Oak Logs, Ceramic Fiber | \$ | 157.0 | |
| the same | F0065 | LVD24GO | 24" Golden Oak Logs, Ceramic Fiber | \$ | 177.0 | |
| Trices 1 | F0064 | LVD18TB | 18" Townsend Bark Logs, Ceramic Fiber | \$ | 113. | |
| | F0066 | LVD24TB | 24" Townsend Bark Logs, Ceramic Fiber | \$ | 133. | |
| iter. | F0067 | LVD18CH | 18" Crescent Hill Logs, Concrete | \$ | 157. | |
| and the second s | F0068 | LVD24CH | 24" Crescent Hill Logs, Concrete | \$ | 177. | |
| | | NEW F | OR THIS YEAR! - Available in FALL 2015 | | | |
| | F2072 | LDV18CO | 18" Century Oak, Concrete | \$ | 182. | |
| | F2073 | LDV24CO | 24" Century Oak, Concrete | \$ | 202. | |
| EQUIRED ACC | ESSORIES | (Order Separately) | | | | |
| | | | Burner Assemblies | | | |
| | F0059 | VD1824NM | 18"/24" N, Manual, Dual Yellow Flame Burner | \$ | 291. | |
| | F0060 | VD1824NR | 18"/24" N, Millivolt, Dual Yellow Flame Burner | \$ | 356. | |
| | F0061 | VD1824PM | 18"/24" P, Manual, Dual Yellow Flame Burner | \$ | 291. | |
| | F0062 | VD1824PR | 18"/24" P, Millivolt, Dual Yellow Flame Burner | \$ | 356. | |
| PTIONAL ACCI | ESSORIES | | | | | |
| | | | Decorative Accessories | | | |
| | F0250 | VTA-LS5-1 | Log Scraps - Floor Media Kit | \$ | 41. | |
| | F0251 | VTA-LS5-2 | Log Scraps - Floor Media Kit | \$ | 41. | |
| PA KAN | 80L42 | FDVS | Decorative Volcanic Stone | \$ | 14. | |
| 20 63 | F1759 | CDABKA-6 | Decorative Ash Bed / Control Cover Kit (Six Pack) | \$ | 247. | |
| 1 | F0246 | CDABKA | Decorative Ash Bed / Control Cover Kit | \$ | 41. | |
| | F1762 | FM100 | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$ | 48. | |
| | | | Installation Accessories | | | |
| - | F1760 | GA6080 | Damper Clamp (Required in vented applications.) | \$ | 10. | |
| | F0249 | CIKA | Gas Appliance Installation Kit | \$ | 59. | |
| | | | Fireplace Hoods | | | |
| | F1764 | GA6050 | Black Fireplace Hood | \$ | 96.0 | |
| \searrow | | | | | | |
| | Factor | | Remote Controls & Wall Switches | ^ | ~~~ | |
| | F2236 | RCKIT4001 | On/Off Remote and Receiver with White Wall Plate | \$ | 88.0 | |
| | F1078 | TRC | Thermostatic On/Off Remote Control Kit | \$ | 181. | |
| | F1079 | TSRC | Receiver and Touch Screen Remote Control Kit | \$ | 206.0 | |
| | F2040 | GWMT1 | Wall Mount T-Stat Control Kit | \$ | 85.0 | |
| | F0245 | GWMS2 | On/Off Wall Switch Kit | \$ | 34. | |





Effective: March 1, 2016

VENT-FREE LOG SETS

| Model W LVS18VO LVS24VO | Veight Cu. Ft. 12# 2.1 14# 2.1 | BTU/HR 16 - 24,000 range 16 - 24,000 range | Merit Series Single Burner | Se | ries | |
|-------------------------------|--------------------------------------|--|--|----------|------------------|--|
| | 0 , 11 | vals - ANSI Z223.1 / NFP | | | | |
| 18"/24" VE | NT-FREE G | GAS LOGS & E | BURNERS | | | |
| | | | n without compromising on quality. All models are dual-listed output at 99% heat efficiency. | for use | in vent- | |
| free and vented a | ipplication and | will deliver nigh neat | output at 99% neat emciency. | | | |
| | Material # | Model | Description Suggester | | | |
| AN ACT | 9 | | | List | | |
| AN AL | F0071 | LVS18VO | 18" Vintage Oak Log, Ceramic Fiber | \$ | 118.50 | |
| - Sec | F0072 | LVS24VO | 24" Vintage Oak Log, Ceramic Fiber | \$ | 139.00 | |
| 1 | | | | | | |
| | CCESSORIES | 6 (Order Separat | | | | |
| | F0069 | VS1824NM | Burner Assemblies | ¢ | 200.00 | |
| | F0069 F0070 | VS1824NM VS1824PM | 18" N, Manual, Single Burner, uses 18" or 24" Logs 18" P, Manual, Single Burner, uses 18" or 24" Logs | \$ \$ | 302.00 302.00 | |
| OPTIONAL AG | | | 10 F, Manual, Single Burner, uses 10 of 24 Logs | φ | 302.00 | |
| | JOE JOE NIES | | Decorative Accessories | | | |
| | F0250 | VTA-LS5-1 | Log Scraps - Floor Media Kit | \$ | 41.50 | |
| 21. 180 | F0251 | VTA-LS5-2 | Log Scraps - Floor Media Kit | \$ | 41.50 | |
| 24 14 | 80L42 | FDVS | Decorative Volcanic Stone | \$ | 14.50 | |
| 1 4 m | F1759 | CDABKA-6 | Decorative Ash Bed / Control Cover Kit (Six Pack) | \$ | 247.00 | |
| | F0246 | CDABKA | Decorative Ash Bed / Control Cover Kit | \$ | 41.50 | |
| | F1762 | FM100 | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$ | 48.50 | |
| | | | Installation Accessories | | | |
| | F1760 | GA6080 | Damper Clamp (Required in vented applications.) | \$ | 10.50 | |
| | F0249 | CIKA | Gas Appliance Installation Kit | \$ | 59.50 | |
| | | | Fireplace Hoods | | | |
| | F1764 | GA6050 | Black Fireplace Hood | \$ | 96.00 | |
| \searrow | | | Wall Switches | _ | | |
| | | | Mail Owners | | | |
| | F2040 | GWMT1 | Wall Mount T-Stat Control Kit | \$ | 85.00 | |